



# **MEasyCut**

## FILM AND LABEL CUTTER

Price: \$\$\$ | Speed: \*\*\*\* | Consumables:  $\Omega\Omega$ 



## **High-performance label cutting.**

METAs mEasyCut is a versatile, offline sheeter that cuts using print mark, gap or sheet size. It comes with a high quality long life blade for a high cut accuracy. It is powered with a new generation of brushless motors. It is possible to work with single cut or double cut with waste removal. It is also available a rotary slitting knives unit able to produce 2-up jobs.

#### **PRODUCT FEATURES**

- Intuitive 7" LCD touch screen
- Digital size system with sheet length in 0.01 mm
- Setting available: number of labels per sheet
- Cut selection: single cut / double cut
- Label gap reader sensor suitable for diecut labels
- Programmable sheet/lot counters

- Print mark/slot sensor for printed materials
- Speed ref. on mm 50,0 sheet length with single cut: 25.000 sheets/hour
- Speed ref. on mm 304,8 sheet length with single cut: 13.500 sheets/hour
- Speed ref. on mm 610,0 sheet length with single cut: 7.500 sheets/hour
- CE standards

### **SPECIFICATIONS**

Web Width	65 mm (2.6 in) / 330 mm (13 in)
Sheet Length Range	50 mm (2 in) / 610 mm (24 in)
Length Steps	0.01 mm (0.0004 in)
Double Cut Range	0.1 mm (0.004 in) / 50 mm (2 in)
Single Cut Speed	25.000 / 7.500 sheets per hour
Double Cut Speed	16.700 / 6.200 sheets per hour
Cutting Accuracy	Approx. +/- 0.15 mm (0.0006 in)
Max. Unwind Diameter	600 mm (23.6 in)
Roll Axle	76 mm (3 in) / 150 mm (6 in) as option
Dimension (w/o Unwinder w/o Table)	110 cm (43.3 in) x 90 cm (35.4 in) x 106 cm (42.9 in)
Dimension (w/o Unwinder w/ Belt)	200 cm (78.7 in) x 90 cm (35.4 in) x 106 cm (42.9 in)

<sup>© 2019</sup> Metas, LLC. Specifications and terms are subject to change without notice. Metas is a registered trademark, Metas Labels Re-Imagined is a registered logomark. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Metas disclaims any and all rights in these marks.